

SYLLABUS: Plant Kingdom

Max. Marks: 180 Marking Scheme: + 4 for correct & (-1) for incorrect

Time: 60 min.

INSTRUCTIONS: This Daily Practice Problem Sheet contains 45 MCQs. For each question only one option is correct. Darken the correct circle/ bubble in the Response Grid provided on each page.

- 1. Floridean starch is found in
 - (a) Chlorophyceae
 - (b) Rhodophyceae
 - (c) Phaeophyceae
 - (d) Cyanophyceae
- Peat moss is another name of 2.
 - (a) Sphagnum
- (b) Marchantia
- (c) Riccia
- (d) Dryopteris
- 3. Pteridophytes differ from mosses/bryophytes in possessing
 - (a) independent gametophyte
 - (b) well developed vascular system
 - archegonia structure
 - (d) flagellate spermatozoids

- Most plants are green in colour because
 - (a) the atmosphere filters out all the colours of the visible light spectrum except green.
 - green light is the most effective wavelength region of the visible spectrum in sunlight for photosynthesis.
 - (c) chlorophyll is least effective in absorbing green light.
 - (d) green light allows maximum photosynthesis.
 - In Chlorophyceae, sexual reproduction occurs by
 - (a) isogamy and anisogamy
 - (b) isogamy, anisogamy and oogamy
 - (c) oogamy only
 - (d) anisogamy and oogamy

RESPONSE GRID

1. (a)(b)(c)(d)

2. (a)(b)(c)(d)

3. (a)(b)(c)(d)

4. (a)(b)(c)(d)

(a) (b) (c) (d)

Space for Rough Work

В-	10		DPP/ CB03
6.	A water fern which is used as a green manure in rice fields is	13.	Algae have cell wall made up of
	(a) Salvinia (b) Mucor		(a) cellulose, galactans and mannans
	(c) Aspergillus (d) Azolla		(b) hemicellulose, pectins and proteins
7.	The largest flower found is known as		(c) pectins, cellulose and proteins
	(a) Rafflesia (b) Tecoma		(d) cellulose, hemicellulose and pectins.
_	(c) Musa (d) Cauliflower	14.	Which plays an important role in the dispersal of spores in
8.	In fern, spores are formed in		Funaria?
	(a) sporangium (b) oogonium		(a) Operculum
_	(c) archegonium (d) stomium		(b) Capsule
9.	Laminaria (kelp) and Fucus (rock weed) are the examples of		(c) Peristome and annulus
	(a) red algae		(d) Sporogonium
	(b) brown algae	15.	Read the following five statements $(i - v)$ and answer the
	(c) green algae(d) golden brown algae		question.
10.	People recovering from long illness are often advised to		(i) In Equisetum the female gametophyte is retained on
IV.	include the alga <i>Spirulina</i> in their diet because it		the parent sporophyte.
	(a) makes the food easy to digest.		(ii) In <i>Ginkgo</i> male gametophyte is not independent.
	(b) is rich in proteins.		(iii) The sporophyte in <i>Riccia</i> is more developed than that
	(c) has antibiotic properties.		in <i>Polytrichum</i> .
	(d) restores the intestinal microflora.		(iv) Sexual reproduction in <i>Volvox</i> is isogamous.
11.	Which of the following cell organelle remains enveloped by		(v) The spores of slime molds lack cell walls.
	a single unit membrane?		How many of the above statements are correct?
	(a) Mitochondria (b) Lysosomes		(a) Two (b) Three
	(c) Nucleus (d) Chloroplast		(c) Four (d) One
12.	Consider the following statements regarding the major	16.	Which one of the following is common to multicellular fungi
	pigments and stored food in the different groups of algae		filamentous algae and protonema of mosses?
	and choose the correct option.		(a) Diplontic life cycle
	(i) In Chlorophyceae, the stored food material is starch		(b) Members of kingdom plantae
	and the major pigments are chlorophyll-a and d.		(c) Mode of Nutrition
	(ii) In Phaeophyceae, laminarin is the stored food and		(d) Multiplication by fragmentation
	major pigments are chlorophyll-a and b.	17.	S
	(iii) In Rhodophyceae, floridean starch is the stored food		(a) Pteridophyte gametophyte has a protonemal and leafy
	and the major pigments are chlorophyll-a, d and phycoerythrin.		stage
	(a) (i) is correct, but (ii) and (iii) are wrong.		(b) In gymnosperms female gametophyte is free-living
	(b) (i) and (ii) are correct, but (iii) is wrong.		(c) Antheridiophores and archegoniophores are present
	(c) (i) and (iii) are correct, but (ii) is wrong.		in pteridophytes
	(d) (iii) is correct, but (i) and (ii) are wrong.		(d) Origin of seed habit can be traced in pteridophytes
		8.	abcd 9. abcd 10. abcd
	GRID 11. (a) (b) (c) (d) 12. (a) (b) (c) (d)	13.	(a) (b) (c) (d) 14. (a) (c) (d) 15. (a) (c) (d)
	16. a b c d 17. a b c d		

Space for Rough Work

- **18.** What is the similarity between gymnosperms and angiosperms?
 - (a) Phloem of both have companian cells.
 - (b) Endosperm is formed before fertilization in both.
 - (c) Origin of ovule and seed is similar in both.
 - (d) Both have leaves, stem and roots.
- 19. In Chlorophyceae, sexual reproduction occurs by
 - (a) isogamy and anisogamy
 - (b) isogamy, anisogamy and oogamy
 - (c) oogamy only
 - (d) anisogamy and oogamy
- **20.** In gymnosperms, the ovule is naked because
- (a) ovary wall is absent(c) perianth is absent
- (b) integuments are absent(d) nucellus is absent
- 21. How many meiotic division would be required to produce
- 101 female gametophytes in an angiosperm?
 - (a) 101
- (b) 26
- (c) 127 (d) None of these
- 22. Which one of the following is the major difference between mosses and ferns?
 - (a) Ferns lack alternation of generation while mosses show the same.
 - (b) Mosses are facultative aerobes while ferns are obligate aerobes.
 - (c) Vascular bundles of ferns show xylem vessels while those of mosses lack it.
 - (d) Sporophytes of ferns live much longer as compared to the sporophytes of mosses.
- 23. Red snow causing alga is
 - (a) Chlamydomonas nivalis
 - (b) Chlamydomonas reinhardtii
 - (c) Chlamydomonas debaryanum
 - (d) Chalmydomonas media
- 24. Alginates (alginin), used as highly efficient gauze in internal operations are obtained from cell walls of
 - (a) Cyanophyceae
- (b) Phaeophyceae
- (c) Rhodophyceae
- (d) All of these

- **25.** Bryophytes resemble algae in the following aspects
 - (a) Filamentous body, presence of vascular tissues and autotrophic nutrition
 - (b) Differentiation of plant body into root, stem and leaves and autotrophic nutrition
 - (c) Thallus like plant body, presence of root and autotrophic nutrition
 - (d) Thallus like plant body, lack of vascular tissues and autotrophic nutrition
- **26.** In sexual life cycle of *Agaricus*, dikaryotization (n + n) is brought about by
 - (a) Fusion of male and female sex organs
 - (b) Fusion of vegetative cells of different genotypes
 - (c) Somatogamy between basidiospores
 - (d) Fusion of motile gametes
- 27. Read the following features properly
 - A. Free living
 - B. Mostly photosynthetic
 - C. Mostly parasitic
 - D. Inconspicuous
 - E. Unicellular

How many of the given features are correct for prothallus of pteridophytes?

- (a) Three
- (b) Five
- (c) Four
- (d) Two
- 28. Identify the correctly matched pair:

	Class	Example	Feature
(a)	Psilopsida	Lycopodium	Seed habit
(b)	Sphenopsida	Selaginella	Strobilus
(c)	Lycopsida	Psilotum	Homosporous 1
(d)	Pteropsida	Dryopteris	Macrophylls

- 29. Angiosperms have dominated the land flora primarily because of their
 - (a) power of adaptability in diverse habitat
 - (b) property of producing large number of seeds
 - (c) nature of self pollination
 - (d) domestication by man

		· /	3	
Response Grid	24. a b c d	20. a b c d 25. a b c d		

в-12 DPP/ CB03 **30.** Which out of the following are included under Angiosperms have dominated the land flora primarily tracheophyta i.e., vascular plants? because of their (a) Power of adaptability in diverse habitat Pteridophytes (b) Gymnosperms (b) Property of producing large number of seeds (c) Angiosperms (d) All of these (c) Nature of self pollination 31. At least a half of the total CO₂ fixation on earth is carried (d) Domestication by man out through photosynthesis by Many blue-green algae occur in thermal springs (hot water (b) gymnosperms (a) angiosperms springs). The temperature tolerance of these algae have been (c) algae (d) bryophytes attributed to their 32. The embryonic development in bryophytes takes place in (a) cell wall structure the (b) mitochondrial structure (a) protonema (b) sporangium (c) modern cell organization (c) antheridium (d) archegonium. (d) importance of homopolar bonds in their proteins 33. The spread of living pteridophytes is limited and is **40.** Which of the following occurs both in fresh as well as in restricted to narrow geographical region because of marine water? gametophytic growth needs cool, damp and shady (a) Spirogyra (b) Cladophora places (c) Oedogonium (d) Cephaleuros (b) requirement of water for fertilization 41. The pyrenoids are made up of (c) absence of stomata in leaf and absence of vascular (a) proteinaceous centre and starchy sheath tissue (b) core of protein surrounded by fatty sheath (c) core of starch surrounded by sheath of protein (d) both (a) and (b) 34. Gymnosperm called as a living fossil is (d) core of nucleic acid surrounded by protein sheath **42.** Blue green algae have (b) Ginkgo (a) Cycas (a) chlorophyll (b) xanthyophyll (c) Juniperus (d) Both (a) and (b). (c) phycocyanin (d) fucoxanthin The sporophyte is the dominant phase in **43.** Parasitic alga is (a) pteridophytes (b) gymnosperms (b) Ulothrix (a) Volvox (c) angiosperms (d) all of these. (c) Porphyra (d) Cephaleuros Which kind of life-cycle pattern is exhibited by seed-Which one of the following pairs of plants are not seed bearing plants? producers? (a) Haplontic (b) Diplontic (a) Funaria and Pinus (b) Fern and Funaria (c) Haplo-diplontic (d) All of these (c) Funaria and Ficus (d) Figure and Chlamydomonas 37. Plants reproducing by spores such as mosses and ferns are 45. Neck canal cells are absent in archegonia of – grouped under the general term (a) Bryophytes (b) Gymnosperms (a) Thallophytes (b) Cryptogams (c) Pteridophytes (d) All of these (c) Bryophytes (d) Sporophytes 34. (a) (b) (c) (d) 30.(a)(b)(c)(d) 31.(a)(b)(c)(d) 32. (a) (b) (c) (d) 33. (a) (b) (c) (d) 39. (a)(b)(c)(d) 35.(a)(b)(c)(d) 36.(a)(b)(c)(d) 37. (a) (b) (c) (d) 38. (a) (b) (c) (d) RESPONSE 43. (a) (b) (c) (d) 40. (a) (b) (c) (d) 41.(a)(b)(c)(d) 42. (a) (b) (c) (d) **44.** (a) (b) (c) (d) GRID 45. (a) (b) (c) (d)

Space for Rough Work

DAILY PRACTICE PROBLEM DPP CHAPTERWISE 3 - BIOLOGY				
Total Questions	45	Total Marks	180	
Attempted Correct				
Incorrect		Net Score		
Out-off Score 35 Qualifying Score		Qualifying Score	50	
Success Gap = Net Score - Qualifying Score				
Net Score = (Correct $\times 4$) – (Incorrect $\times 1$)				